

U.S. INDUSTRIAL MACHINERY, INC.

P.O. BOX 2098 MEMPHIS, TN 38101
PHONE: (800) 932-8376 FAX: (901) 526-2339

Visit Our Web Site at www.usindustrial.com

We are pleased to offer for your consideration:

ONE – NEW U. S. INDUSTRIAL 125 TON HYDRAULIC IRONWORKER WITH DUAL OPERATOR STATIONS, MODEL USHI-125T-DO-XT

Noteworthy features of this Ironworker:

- * Dual hydraulic cylinders for two-man operation with two moveable foot pedals
- * Five workstations: punch, plate shear, angle shear, rod shear notcher, plus press brake attachment
- * Punch station has large two-piece gauging table with fence
- * Punch station has quick acting swing-away stripper with 3 inserts
- * Punch station has removeable sections for punch leg of channel or I-beam
- * Quick change coupling nut and sleeve for punch
- * Brake Attachment
- * Electric backgauge, 3' long
- * Electrically interlocked safety guard for notching station
- * Magnetic base workstation light
- * 15 HP, three phase operation
- * Weight of machine is 10560 lbs.
- * Three sets of round punch and die
- * Spare parts and tools

Punch

Punch Tonnage	125
Punching Thickness	1"
Punching Diameter	1 1/2"
Throat Depth	24"
Stroke Length	0" – 3 1/8"

Flat Bar Shear

Max. Thickness	14' x 1"
Max. Length	24" x 5/8"
Blade Length	24"

Angle Shear

Capacity 90 Deg.	6" x 6" x 5/8"
Capacity 45 Deg.	3" x 3" x 1/4"

Bar Shear

Round	2 3/8"
Square	2 1/8"

Notcher

Thickness	1/2"
Width	2 1/4"
Depth	4"

Motor	15 HP
Weight	10,560 Lbs
L x W x H	92" x 37" x 82"
Oil Capacity	33 Gal.

Price.....F. O. B. Memphis, TN.....\$ 32,990.00

Thank you for the opportunity to quote. We look forward to serving you.

We await your reply and thank you for this opportunity to quote.

Sincerely,
U. S. INDUSTRIAL MACHINERY, INC.

